

FIRST MEETING September 7, 2010 1009-DP-09 & 1009-SPP-02 Exhibit 1

	1			
PETITION NUMBER:	1009-DP-09 & 1009-SPP-02			
SUBJECT SITE ADDRESS:	680 Wendover Avenue			
PETITIONER:	Herman & Kitt	Herman & Kittle Properties		
REQUEST:	Development Plan Review and Primary Plat Review of a			
	proposed 132 u	nit multi-family development.		
CURRENT ZONING:	Maple Knoll PU	JD		
CURRENT LAND USE:	Vacant			
APPROXIMATE	10 acres			
ACREAGE:				
STAFF REVIEWER:	Kevin M. Todd	, AICP		
ZONING HISTORY	0505-PUD-03	Amended Maple Knoll PUD Ordinance		
		(Ord. 05-22) Approved		
	0403-PUD-02	Maple Knoll PUD Ordinance (Ord. 04-02)		
		Approved		
EXHIBITS:	Exhibit 1, Staff	Report		
	Exhibit 2, TAC	Letters		
	Exhibit 3, Petiti	oner's Plans		

PETITION HISTORY

This petition was reviewed by the Technical Advisory Committee on August 24, 2010. This petition is scheduled to be considered at a public hearing on September 7, 2010 at the Advisory Plan Commission (the "APC") Meeting.

PROCEDURAL

- Requests for Development Plan Review are required to be considered at a public hearing.
 The public hearing for this petition will be held on August 16, 2010 at the Advisory Plan Commission meeting.
- Notice of the August 16, 2010 public hearing was provided in accordance with the APC Rules of Procedure.

PROJECT DESCRIPTION

The proposed development plan is for the construction of a new multi-family development. The proposal calls for 132 units, garage structures, and a clubhouse (the "Project"). The site is located in the Mixed-Use District of the Maple Knoll PUD and is immediately west of the Maple Knoll Apartments (the "Property"). The Property abuts the Midland Trace Trail (to the north), and the construction of the trail is included with the Project. The residential buildings and the clubhouse building are proposed to be finished primarily with brick.



FIRST MEETING September 7, 2010 1009-DP-09 & 1009-SPP-02 Exhibit 1

1. Zoning District Standards (WC 16.04.165, C 1)

MAPLE KNOLL PUD STANDARDS

Sections and subsections of the PUD omitted from this report do not include development standards which are applicable to this development.

	PROPOSED	STATUS
Section 10 - Size and Dimensions of Districts	(From Maple Knoll PU	JD)
10.1 Maximum number of Residences within Multi-Use District = 733	Existing: 300 Proposed: 132 Total: 432	Compliant
10.4 Maximum number of Residences within Maple Knoll = 1,800	Existing: 741 Proposed: 132 Total: 873	Compliant
Section 11 – Permitted Uses (Refer to Exhibit Exhibit 12. Use Table	12 of Maple Knoll PUI Multi-family	Compliant
Exmisit 12. Ose Tuote	Dwelling	Compilant

<u>Section 12.2 – Development and Architectural Standards</u> (Refer to Exhibit 14 of Maple Knoll PUD)

Exhibit 14. Development and Architectural Standards – Mixed Use District (From Maple Knoll PUD)

I. Lots

I 1. Lots to have frontage on public or private street; can be accessed from front, side or rear yard	Lot has frontage and accessibility on Wendover Avenue	Compliant
I 2. Minimum lot width at building line (20 feet)	440 feet	Compliant
I 3. Minimum lot width at street (20 feet)	440 feet	Compliant
I 4. Minimum lot depth (60 feet)	990 feet	Compliant
I 5. Minimum lot area (1,000 square feet)	435,600 square feet	Compliant
I 6. Front setback (0-80 feet)	194 feet	Compliant
I 7. Minimum side setback (0 feet)	West: 15 feet East: 33 feet	Compliant
I 8. Minimum rear setback (0 feet)	48 feet	Compliant
I 9. No building to be located closer than 30 feet to Springmill Road	Entire property is located greater than 30 feet from Springmill Road	Compliant



II 1. Maximum building height = 35 feet	15 feet	Compliant
II 2. Minimum building separation = 12 feet (detached)	42 feet	Compliant
II 3. Exterior Materials and Colors		
II 3 a. Buildings to consist of a combination of masonry, glass, composite and wood products	Face brick veneer and vinyl	Staff is working with the petitioner to ensure compliance
II 3 b. Exterior building materials not to consist of smooth faced concrete block, tilt-up concrete blocks, prefabricated steel panels, vinyl siding, aluminum siding	Vinyl siding depicted	Staff is working with the petitioner to ensure compliance
II 3 c. Exterior façade and trim colors to be low reflectance and selected from a color palette authorized by the Developer	Color palette submitted; authorization letter from the Developer needed	Staff is working with the petitioner to ensure compliance
II 4. Facades		
II 4 b. Facades greater than 12 feet long (measured horizontally) require 20% fenestration	Fenestration not evident on all elevations	Staff is working with the petitioner to ensure compliance
II 4 d. Façades to include a repeating pattern that includes no less than 3 of the following: color change, texture change, material change, fenestration change or profile change	Color change, texture change, material change evident on elevations	Compliant
II 5. Roofs		
II 5 a. Roof profiles to be gabled, hip, or parapet	Gabled roof	Compliant
II 5 b. Roof materials to be asphalt or fiberglass shingles, standing seam metal, composite or trim PVC	Asphalt shingles	Compliant
II 6. Exterior mechanicals to be screened or hidden from all sides	Details regarding exterior mechanical locations not provided	Staff is working with the petitioner to ensure compliance
II 7. The rear of non-residential buildings not to face Springmill Road	Rear elevation not facing Springmill Road	Compliant



III. Residences					
III 1. Attached Residences					
III 1 a. Front elevations shall be masonry	50%	Two st brick v	yles of face eneer	the	off is working with expetitioner to sure compliance
III 1 b. Asphalt/fiberglass shingl	es allowed	Asphal	t shingles	Co	mpliant
III 1 c. Rooftop canopy and telecommunication equip fully screened on all side	S	None o	lepicted	the	aff is working with petitioner to sure compliance
III 1 e. Pitched roofs: minimum	of 6:12	6:12 pi	tch	Co	mpliant
III 1 f. Vinyl siding is permitted ASTM D3679 Class I)	(0.044		siding is used, ails not ed	the	off is working with expetitioner to sure compliance
III 1 g. All utility panels to be so located in an area not vis public ROW			regarding panel locations ovided	the	off is working with e petitioner to sure compliance
III 1 h. Detached garages allowe	d;		ed garages	_	off is working with
architecture to be compati primary building		depicte	ed on plans; ons not	the	petitioner to sure compliance
III 1 i. Rear elevation of residence	ces visible	Rear e	levations will	Co	mpliant
from Springmill Road not	to be	not be visible to			•
parallel to Springmill Roa	ıd	Spring	mill Road		
Section 13 – Landscaping (From M	lanle Knoll	PUD)			
13.3. Evergreen trees may be substit lieu of evergreen shrubs (1 tree: 3 sh	uted in		wledged	Co	mpliant
Exhibit 17 – Landscaping Standar	ds (Taken 1	from WC	C 16.06)		
1 8	REQUI		PROPOSEI	<u>)</u>	<u>+/-</u>
On Site and Street Frants as Stands	ands (WC 14	(06 050)			
On-Site and Street Frontage Standa	uus (WC 16	5.00.030			Compliant
A 1. Yards, setback area, and			Landscape Plar depicts sod and		Compliant
green space to be				Į.	
landscaped with live			plants within		
vegetation			yards, setback areas and		
			greenspace.		



A 2. On-Site requirements				
•				
 *Shade Trees (1 per dwelling unit=132) 	1 per dv unit = 1		121 provided in plant schedule	-11 shade trees
• *Ornamental/evergreen trees (1 per dwelling unit=132)	1 per dv unit = 1		140 provided in plant schedule	Compliant
• Shrubs (4 per dwelling unit=528) * Shade, ornamental and evergreen tree types confirmed via the Missouri Botanical Garden website – mobot.org	4 per dv unit = 5		502 provided in plant schedule	-26 shrubs
B. Road frontage requirements		tree per ar feet=15 ees	15 proposed	Compliant
Buffer Yard Requirements (WC 16	5.06.060)			
G. Buffer yards not required between within planned developments	reen uses	required, way is de	buffer yard is not pending right-of- edicated for the Trace Trail.	Staff is working with the petitioner to ensure compliance
Parking Area Landscaping (WC 16	5.06.070)	TVITATATIA	Truce Truit.	сотришее
A. Interior Parking Lot Landscapi				
A 1. Required area (50 or more	8,858 sc	ղ. ft.	7,840 sq. ft.	Staff is working with the petitioner
spaces=10%) 264 spaces depicted on plans; 88,576 sq. ft. of parking lot area				to ensure compliance
depicted on plans; 88,576		D	ROPOSED	to ensure



A 2 d. Interior landscaped area are to limit unbroken rows of parking spaces to a maximum of 200 feet	Three areas (two at southeast and one at northeast curve) of parking that exceed 200 feet	Staff is working with the petitioner to ensure compliance
A 2 e. Parking lot islands to include at least 1 tree and 4 shrubs	Two islands at southwestern garage do not include the required 4 shrubs	Staff is working with the petitioner to ensure compliance
A 2 f. Landscaping within parking lot islands may not obstruct line of sight for vehicles No tree or shrub planting to obstruct elevations between 3 and 12 feet within 10 feet of driveway intersections per WC 16.04.230,2v.	Acknowledged	Not reviewed at the plan review stage; but monitored by Code Enforcement, as necessary.
B. Perimeter Parking Lot Landscaping		
 B 1 a. Perimeter landscaping required for lots with 10 or more spaces where: Parking lot is in a required yard 	 Parking is not within a required yard 	Perimeter parking lot landscaping not required. Compliant
• Parking lot is located within 20 feet of ROW line	 Parking lot is not within 20 feet of ROW line 	
Section 14 – Signage (From Maple Knoll P Sign review and approval will be reviewed a review process.	UD)	e application and
Continue 15 Lighting (Defende Februarie)	of Manla Vanil DUD	
Section 15 – Lighting (Refer to Exhibit 19		
Exhibit 19. Lighting Standards (Taken from E. General Lighting Standards	om wC 16.07.010)	
E. General Lighting Standards E 1. Fully shielded, directed downward	Lighting analysis lists fixtures to be full cutoff; however fixture cut sheets not submitted	Staff is working with the petitioner to ensure compliance



E 2. Directed away from reflective surfaces	NA	Not reviewed at the plan review stage; but monitored by Code Enforcement, as necessary.
E 3. Directed away from adjacent property and ROW	NA	Not reviewed at the plan review stage; but monitored by Code Enforcement, as necessary.
E 4. Max. pole height – 25'	Lighting analysis does not specify pole heights	Staff is working with the petitioner to ensure compliance
E 5. Fixtures meet building code	Fixture cut sheets not submitted	Staff is working with the petitioner to ensure compliance
F. Multi-Family Residential, Commercial and F 1. Light emitting surface not visible from residential area or ROW	NA	Not reviewed at the plan review stage; but monitored by Code Enforcement, as necessary.
F 2. Foot-candle measurements – 0.5 at residential property line; 1.0 at non-residential property line	Lighting analysis depicts foot-candle measurements at 0.0 at all property lines	Compliant
F 3. Shield, adjustable reflector & non-protruding diffuser	Fixture cut sheets not submitted	Staff is working with the petitioner to ensure compliance
F 5. Under-canopy & under-awning lights – not illuminate canopy or awning	NA	Not reviewed at the plan review stage; but monitored by Code Enforcement, as necessary.



II. Off-Street Parking II 1. Parking outside of public right-of-way in designated lots, garages, driveways	Parking is outside of public right-of-way in garages and/or driveways	Compliant
II 2. Parking spaces accessed directly by serviceway or thoroughfare	Parking is directly accessed by private driveway	Compliant
II 3. Off-street parking solely for the parking of passenger vehicles (residences: occupants and visitors)	Acknowledged	Not reviewed at the plan review stage; but monitored by Code Enforcement, as necessary.
II 4. Size of Parking Spaces		
II 4 c. Private Driveways, Pads, & Garages (8 feet wide by 18 feet long)	10 feet wide by 20 feet long	Compliant
II 5. Orientation of Parking Spaces		
II 5 c. Perpendicular: 90 degrees to aisle or driveway	90 degrees to driveway	Compliant
II 6. Moving Lane Width		
II 6 c. Perpendicular Parking: 11 feet in width	24 feet (or 12 feet per lane)	Compliant
II 7. Parking areas improved with compacted gravel/stone base no less than 4 inches thick and surfaced with dustless material	Info not included	Staff is working with the petitioner to ensure compliance
IV. Handicapped Parking - to comply with state standards (IC 5-16-9)	Handicapped parking shown on plans	Staff is working with the petitioner to ensure compliance
VI. Required Spaces		
VI 3. Residential: 2 spaces per dwelling (132 dwellings=264 required spaces)	264 parking spaces	Compliant



	n 18 – Open Space/Trails (Taken from the		Stoff in wordsing
•	Any portion or segment of the Midland Trace Trail to be 25 feet, with a 12 foot wide paved trail width	 Plans depict 25 foot half right-of-way for Midland Trace Trail; the 12-foot paved trail is not depicted 	Staff is working with the petitioner to ensure compliance
•	Open Space: Minimum for PUD = 100 acres	Info not provided	
•	Open Space: Minimum for Mixed Use District = 10% of area	Info not Provided	
	District = 10% of area erlay District Standards (WC 16.04.165, roperty does not fall within an overlay dist		
	protest as a second sec	irici.	
		irici.	
		inci.	
		irici.	
		trict.	



3. Subdivision Control Ordinance (WC 16.04.)	165 C 3)	
PRELIMINARY PLAT REQUIREMENTS (
B 1. Location map including the following:		
Subdivision name and location	• 680 Wendover Avenue	• Staff is working with the petitioner to ensure compliance
• Related street(s)	• East 169 th Street, Springmill Road, Ditch Road and State Road 32 depicted	Compliant
 Existing elementary and high schools, parks and playgrounds available to serve the area 	Info not included	• Staff is working with the petitioner to ensure compliance
Title, scale, north point and date	• Title, scale, north arrow and date depicted; area and soils map are not to scale	• Staff is working with the petitioner to ensure compliance
Land use adjacent to subdivision and owners names	Adjacent land use types are depicted	Compliant
B 2. Preliminary plat to show the following:		
Proposed name of subdivision	• The Commons at Springmill	Compliant
Name and address of the owner and land planner	• Herman and Kittle Properties (owner) and Weihe Engineers	Compliant



	(planner); addresses provided	
 Streets, curbs and crosswalks on and adjoining the site with widths 	Public streets and sidewalks depicted; need sidewalk widths and curb locations	Staff is working with the petitioner to ensure compliance
 Easements – locations, widths and purpose 	• Easement for emergency access drive not depicted	Staff is working with the petitioner to ensure compliance
• Statement (on signature sheet) concerning the location and approximate size or capacity of utilities to be installed	Not provided	Staff is working with the petitioner to ensure compliance
• Layout of lots	Block dimensions not depicted	Staff is working with the petitioner to ensure compliance
 Parcels of land reserved or dedicated for schools, parks, playgrounds, or other public/semi-public community services 	 Parks, playground and other semi- public areas depicted 	Compliant
• Contour lines	Contour lines provided	• Compliant
• Tract boundary lines	Boundary lines provided	Compliant
Building setback lines	Not shown	Staff is working with the petitioner to ensure compliance



depicted; • Staff is working
with the petitioner to ensure compliance
• Compliant
• Staff is working with the petitioner to ensure compliance
• Compliant
Coordinating with WPWD
• Coordinating with HCSO
ed; no heet Staff is working with the petitioner to ensure compliance

a 1. Access shall comply with INDOT	Access is from	Coordinating with
Driveway Permit Manual	Wendover Avenue	WPWD to determine
		compliance
a 2. Access locations shall provide for the	Developer is	Compliant
safe efficient movement of vehicular and	constructing roadway	_
pedestrian traffic to and from proposed	and sidewalk	



FIRST MEETING September 7, 2010 1009-DP-09 & 1009-SPP-02 Exhibit 1

development		extension at Wendover Avenue	
a 3. Site circulation patterns to be designed to minimize conflicts between vehicular and pedestrian traffic		Crosswalks within the development not provided	Staff is working with the petitioner to ensure compliance
b. <u>Landscaping</u> – See MAPLE KNOLL I	PUD ST	ANDARDS, Section 13	
c. Lighting Standards— See MAPLE KNO	OLL PU	D STANDARDS, Secti	on 15
d. <u>Signs</u> – See MAPLE KNOLL PUD ST	ΓANDA	RDS, Section 14	
e. Building Orientation			
e 1. Building's façade visible from	Elevations provided depict finished façade		Compliant
public street or oriented to a Residential District to be of finished façade	finisne	ed façade	•
	NA	ed façade	NA
Residential District to be of finished façade e 2. Loading spaces/docks not to face public street or Residential		ed façade	-

f. Building Materials – See MAPLE KNOLL PUD STANDARDS, Section 12

5. Comprehensive Plan Compliance (WC 16.04.165, C 5)

The Future Land Use Concept Map in the Westfield-Washington Township Comprehensive Plan (the "Comprehensive Plan") identifies the Property as Suburban Residential. The Comprehensive Plan identifies institutional uses, recreational uses, and both attached and detached residential dwellings as appropriate in the Suburban Residential area. The Commons at Springmill is an attached residential development and complements the recommended uses for this area, as outlined in the Comprehensive Plan.

6. Street and Highway Access (WC 16.04.165, C 6)

The Property will be accessed by Wendover Avenue. The extension of Wendover Avenue from the Maple Knoll Apartments to Maple Village is currently under construction.



FIRST MEETING September 7, 2010 1009-DP-09 & 1009-SPP-02 Exhibit 1

7. Street and Highway Capacity (WC 16.04.165, C 7)

Street capacity is under review by the City.

8. Utility Capacity (WC 16.04.165, C 8)

Utility capacity is under review by the City.

9. Traffic Circulation Compatibility (WC 16.04.165, C 9)

Traffic circulation is under review by the City.

PUBLIC POLICIES

Comprehensive Plan-Feb 2007

The Future Land Use Concept Map in the Westfield-Washington Township Comprehensive Plan (the "Comprehensive Plan") identifies the Property as Suburban Residential. The Comprehensive Plan identifies institutional uses, recreational uses, and both attached and detached residential dwellings as appropriate in the Suburban Residential area. The Commons at Springmill is an attached residential development and complements the recommended uses for this area, as outlined in the Comprehensive Plan.

Thoroughfare Plan-Feb 2007, Amended July 2010

The Westfield Thoroughfare Plan classifies Wendover Avenue as a "Local Road or Street". The plans provided depict that Wendover Avenue will be extended to the Property and maintain the existing right-of-way of 50 feet.

Parks & Recreation Master Plan-Dec 2007

The Westfield Parks & Recreation Master Plan focuses on the build-out and development of the community's existing parks and trail systems. The Property is adjacent (to the north) to the Midland Trace Trail (the "Trail"). The plans provided depict right-of-way for the Trail.

Water & Sewer System

Water and sewer services run adjacent to Wendover Avenue and would provide acceptable levels of service to the Property.

Annexation

The Property is within the corporate boundaries of the City of Westfield.

Well Head Protection-Ord. 05-31

The Property is not within a wellhead protection area.



FIRST MEETING September 7, 2010 1009-DP-09 & 1009-SPP-02 Exhibit 1

Plan Documentation

Pending compliance with any conditions, the petitioner will have provided the required documents.

Required Submittals	Original	Amended	<u>Status</u>
Application	08/02/10	ı	Submitted
Fees	08/02/10	ı	Paid
Legal Description	08/02/10	ı	Submitted
Consent Form	None	ı	Not Submitted
Preliminary Plat	08/11/10	ı	Revisions being made
Location Map	08/11/10	ı	Revisions being made
Site Plan	08/11/10	ı	Revisions being made
Landscape Plan	08/11/10	ı	Revisions being made
Sign Plan	NA	-	NA
Lighting Plan	08/11/10	ı	Revisions being made
Building Elevations	08/11/10	-	Revisions being made
Access & Circulation	08/11/10	-	Revisions being made
Traffic Impact Study	NA	-	NA

Required Procedure	<u>Original</u>	<u>Status</u>
Pre-Filing Conference	07/13/10	Meeting Held
TAC	08/24/09	Meeting Held
Notice - Sign on site	Pending	Pending
Notice- Newspaper	Pending	Pending
Notice -Mail	Pending	Pending

KMT